SCOTT COUNTY ENGINEER'S OFFICE

950 E. Blackhawk Trail Eldridge, Iowa 52748

(563) 326-8640 FAX – (563) 328-4173 E-MAIL - engineer@scottcountyiowa.gov WEB SITE - www.scottcountyiowa.gov



ANGELA K. KERSTEN, P.E. ELLIOTT R. PENNOCK, E.I.T. TARA YOUNGERS County Engineer Assistant County Engineer Senior Administrative Assistant

MEMO

- TO: Mahesh Sharma County Administrator
- FROM: Angie Kersten, P.E. County Engineer

SUBJ: Calcium Chloride Tank Replacement at Secondary Roads Maintenance Facility

DATE: July 10, 2023

Our department has identified the need to replace the calcium chloride tank at our maintenance facility in Eldridge. The existing tank is over 36 years old, has deteriorated, and requires replacement. We typically utilize calcium chloride to pre-wet our rock salt, as part of our snow removal operations, when temperatures drop below 20°F.

Three competitive quotes were solicited for furnish and delivery of a Norwesco heavy duty 5,025 gallon horizontal leg tank. The following quotes were received:

Sprayer Specialties, Inc., Grimes, IA	\$16,860.16
Fertilizer Dealer Supply, Jesup, IA	\$17,235.26
Eldon C. Stutsman, Inc., Hills, IA	\$19,397.00

Upon delivery of the new tank, the existing tank will be listed for sale on Public Surplus. We have \$175,000 in our FY2024 budget for maintenance and upkeep of our buildings. I recommend purchasing the Norwesco heavy duty 5,025 gallon horizontal leg tank from Sprayer Specialties for \$16,860.16.

THE COUNTY AUDITOR'S SIGNATURE CERTIFIES THAT THIS RESOLUTION HAS BEEN FORMALLY APPROVED BY THE BOARD OF SUPERVISORS ON

DATE

SCOTT COUNTY AUDITOR

RESOLUTION

SCOTT COUNTY BOARD OF SUPERVISORS

July 20, 2023

A RESOLUTION APPROVING THE AWARD OF BID FOR THE PURCHASE OF ONE (1) NORWESCO HEAVY DUTY 5,025 GALLON HORIZONTAL LEG TANK

BE IT RESOLVED BY the Scott County Board of Supervisors as follows:

- Section 1. That the bid for one (1) Norwesco heavy duty 5,025 gallon horizontal leg tank is approved and hereby awarded to Sprayer Specialties, Inc., Grimes, IA, in the amount of \$16,860.16.
- Section 2. This resolution shall take effect immediately.